



|    |  |             |                                     |       |   |     |     |                  |    | 1   | 2              | 3   |   |      |
|----|--|-------------|-------------------------------------|-------|---|-----|-----|------------------|----|---|----------------|-----|---|------|
| 9  |  | 1/          | Zn Pb Cd Be Ba Ni<br>As Cr Cr6+ Se) | Hg Cu | 1 | 1 / | 1 4 | 2024 1 4 7<br>10 | 1. | 30%<br>Hg0.05 Cu<br>40 Zn100 Pb 0.25<br>Cd 0.15 Be 0.02 Ba<br>25 N 0.5 As 0.3<br>Cr4.5 Cr6+1.5 Se0.1    | GB16889-2008   | 1 8 | / | /    |
| 10 |  | 1/          |                                     |       | 1 | 1 / | 1 1 | 2024 1           |    | 3ug/kg  |                | 1 8 | / | /    |
| 11 |  | 2/<br>20cm) | 45                                  | 1-    | 1 | 1 / | 1 1 | 2024 4           |    | GB36600<br>1<br>4x 10 <sup>-5</sup>   | (GB36600-2018) | /   | / | /    |
| 12 |  | 1/          |                                     | NH3-N | 3 | 1 / |     |                  | 2  | /   | /              | /   | / | 3 27 |
| 13 |  | 1/          | pH<br>P                             | NH3-N | 3 | 1 / | 1 4 | 2024 1 4 7<br>10 |    | pH : 6-9<br>: 280mg/L<br>: 180mg/L<br>: 355mg/L<br>NH3-N : 28mg/L<br>P : /mg/L<br>: 20mg/L<br>: 100mg/L |                | 1 9 | / | /    |

|  |  |   |  |  |  |  |  |  |  |  |  |
|--|--|---|--|--|--|--|--|--|--|--|--|
|  |  |   |  |  |  |  |  |  |  |  |  |
|  |  | / |  |  |  |  |  |  |  |  |  |

|   |   |   |
|---|---|---|
| 1 | 2 | 3 |
|---|---|---|